













Floor tile

Rough surface stone

Floor

Marble

Epoxy floor

Product Features

Free working angles, easy changing on all directions such as the ground and wall etc.



Adjustable angle of main handle



Adjustable angle of secondary handle



Adjustable height



Adjustable horizontal angles





- The dual brushless motor with worm gear and worm structure is designed with the combined metal material and POM wear-resistant material, thus bringing advantages of stable operation, long service life and low noise.
- Made of die-casting aluminum, the gear box is featured with high precision and high strength.
- 20V/2000mAh lithium battery supports 60-minute continuous use.
- Ergonomic handle and soft rubber design can better fit hands and make it more comfortable to hold, and the lock-off button prevents wrong touch of switch.
- LED lighting lamp lights up corners in the dark.

Self-cleaning barrel

The cleaning pads can be cleaned and dried, which saves labor and is splash-proof. convenient for transportation, thick and durable materials



Foldable handle for easy lifting and storage



Water volumescale



Forward rotation for cleaning

Reverse rotation for water drying









Wax polishing for wood floor



Polishing of rough surface stones



Deoiling of small square bricks



Accessories

The set kits can be used flexibly whenever needed, and self-cleaning saves your cleaning cost



Pad holder



Battery



Charger

Indoor suit



Soft fiber pad

Blended fiber material, suitable for wood floor waxing and cleaning of various smooth floors



Soft brush

PP material with brushing diameter of 0.25mm, mainly applicable to the cleaning of uneven floors



Polishing pad

Imported from Europe, especially suitable for marble floor polishing

Outdoor suit



Fiber pad

Suitable for smooth floors with tile, marble, etc.



Hard brush

PP material with brushing diameter of 0.5mm, mainly applicable to the cleaning of uneven floors, enjoying good effect on tough stains



Supper Abrasive Pad

Suitable for marble, bluestone, rough stone and ceramic tiles

Application scenario



Community



Subway



Home



Shopping mall



Hotel



Underground garage



Restroom



Scenic spots and historical sites



Elevator



Restaurant

Parameters

TF-7										
Voltage	No-load speed	Brush size	Pad holder size	Cleaning width	Machine height	Net weight	Volume of self- cleaning barrel	Battery duration	power rating	package size
20V/2000MAh	260rpm	2×180mm	2×180mm	360mm	85-111cm	2.8Kg	2.71	1h (soft brush)	80W	980×420×275mm

Professional cleaning made simple

- Building 8, Phase 2, Zifeng R&D Center, NO. 121 Baihe Road, Pukou District, Nanjing City, Jiangsu Province, China
- in Nanjing TVX Cleaning Equipment Co., Ltd.
- cooperation@tvxclean.com
- TVX Cleaning Equipment
- Michael (@tvx_cleaning)

