

Professional cleaning made simple

Nanjing TVX Cleaning Equipment Co., Ltd.

- Building 8, Phase 2, Zifeng R&D Center, NO. 121 Baihe Road, Pukou District, Nanjing City, Jiangsu Province, China
- **in** Nanjing TVX Cleaning Equipment Co., Ltd.
- sales@tvxclean.com
- +86 18061203729





Website

WeCh

Ride-on Scrubber Dryer

Version No.: V2.0 20230214



T130 series

1130

66 **TVX T130 series Ride-on Scrubber Dryer**

Your Reliable Powerful and Smart Helper



Product advantages

The sewage can be filtered and recycled.24V 200Ah batteries support super long standby.


time can reach 5.5 hours

The automatic deceleration system is maximum guaranteed the safety of the operato when the machine turns

T130C Water Cycle Ride-on Scrubber Dryer

Product Features

- Save the water, extend the working hours. A tank of water meets one day's cleaning needs.
- When cleaning with detergent, it can be done effectively recycling, filtration and reuse, saving cost.
- Using a three-level filtration system, Backwash filter, the middle filter screen is made of stainless steel.
- Avoid repeated of adding water and discharging sewage.



T130D Disinfection and Sterilization Ride-on Scrubber Drver





Product Features

- Disinfection can be completed while daily cleaning Work. One-stop completion of floor washing and disinfection, safe and reliable
- Smart water disinfection [®] system, the machine is equipped with secondary chlorine Acid disinfectant generator, sterilization effect by SGS certification
 - The rear spray device can be fixed or used by hand, to achieve three-dimensional elimination

Smart water disinfection ® system

- 1 Wide sterilization range 4 High safety performance
- 2 fast sterilization
- **5** good environmental protection
- **3** low corrosion performance

T130X Spray gun Ride-on Scrubber Dryer

Product Features

- The spray gun function is added to facilitate the cleaning of the sewage tank
- Disinfectant can be injected to disinfection and sterilization the environment, and disinfection and sterilization the ground in one way to save personnel costs
- It is easy to wash dust in narrow areas during floor washing





Product Features / Efficient

- The motor central water outlet system can improve the brush working effect, so that the water and detergent evenly distributed on the brush, save water and detergent.
- The edge of the top cover of the recovery tank is installed with high-quality elasticity Seal strip, improve the sealing ability and water absorption effect .
- Anti-overflow design to prevent sewage enter the vacuum motor.
- The inner wall of the tank is smooth and can reduce bacteria Residues and stain residue.

Highly integrated control console









T130C





Ultra-long battery standby ensures longer continuous operation time



The motor central water outlet system can improve the brush working effect




Delayed off function of suction motor, zero residual wastewater in the tank



Unique Softstart system

Product Features / Safe







- The front of the fuselage is made of collision strip with soft material with led lamp, which is beautiful Generous at the same time can also reduce the damage of the hit object.
- The automatic deceleration system maximizes the safety of the operator when the machine turns.
- Safety flash lights that provide maximum security .



Product Features / User-friendly

- Lift the seat to take out the charging plug to charge
- Unique accelerator pedal that controls the machine forward and backward
- Humanized mobile phone box and usb charger interface DESIGN The usb interface is waterproof
- The solution tank adds a double purchase cup holder, so that the operator has more storage space
- Black PVC fabric with front and rear adjustable seats Comfortable and durable, can be lossless installation
- The brush and squeegee are lifted by electronically system, one-key lift







Application scenarios



Logistics Centre





Plant Workshop

Rotatior Brush m Driving Vacuum Volume Volume Battery Endurar

Unit dim Net weig



Supermarket

Hospital

Campus





05

Parameters

	T130B	T130C/130	D T130X
Cleaning width		860mm	
Squeegee width	1100mm		
Efficiency	5590㎡/h		
Brush pressure	50Kg		
Rotation speed of brush disc	180rpm		
Brush motor	24V/400W*2		
Driving motor		24V/760W	
Vacuum motor		24V/500W	
Volume of solution tank		120L	
Volume of recovery tank		130L	
Battery		24V/200Ah	
Endurance time		5.5h	
Unit dimension		1523*880*1240mm	
Net weight machine	222Kg	224Kg	226Kg